

Dell Dock – WD19S 130W

Boost your PC's power on the world's most powerful and first modular USB-C dock with a future-ready design.

Product identity

Brand	Dell
Model	WD19S-130W
MPN / part number	DELL-WD19S130W
EAN / GTIN	5397184513972
Category	Laptop Docks & Port Replicators

Highlights

- Industry Standard Compatibility.
- Power your connections.
- Built for the future.
- Optimize your workspace.
- Power your connections: Power your day: Dell ExpressCharge allows you to charge up to 80% in one hour, making it the most efficient way to manage the workday. Energize your workload: Get more done, even faster with Dell ExpressCharge Boost – a feature that....
- Built for the future: Mix and match: Evolve as your needs change with our most versatile dock. The future-ready design lets you swap out modules with ease if you need to do field replacements or upgrade your systems. Ultimate connectivity: USB-C connectivity....

Key specifications

Connection	Wired
Supported systems	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64
Colour	Black
Weight	585 g

Product overview

Boost your PC's power on the world's most powerful and first modular USB-C dock with a future-ready design.

Compatibility and physical details

Interface / connection	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
Supported systems	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64 · Linux supported
Colour	Black
Dimensions	205 mm × 90 mm × 29 mm
Weight	0.585 kg

Full technical specification

Ports & interfaces

Connectivity technology	Wired
-------------------------	-------

Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
----------------	----------------------------------

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	
---	--

3

USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	
---	--

2

HDMI ports quantity	1
---------------------	---

HDMI version	2.0
--------------	-----

DisplayPorts quantity	2
-----------------------	---

DisplayPort version	1.4
---------------------	-----

Microphone in	No
---------------	----

DC-in jack	Yes
------------	-----

Network

Ethernet LAN	Yes
--------------	-----

Ethernet LAN (RJ-45) ports	1
----------------------------	---

Ethernet LAN data rates	10,100,1000 Mbit/s
-------------------------	--------------------

Performance

Card reader integrated	No
------------------------	----

Maximum digital resolution	5120 x 2880 pixels
----------------------------	--------------------

VESA mounting	Yes
---------------	-----

Product colour	Black
----------------	-------

On/off switch	Yes
---------------	-----

LED indicators	Yes
----------------	-----

Power

Power source type	DC
-------------------	----

AC input voltage	120 - 230 V
------------------	-------------

AC input frequency	50 - 60 Hz
--------------------	------------

Power supply	130 W
--------------	-------

Power cable length	1 m
--------------------	-----

Software

Windows operating systems supported

Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64

Linux operating systems supported

Yes

Operational conditions

Operating temperature (T-T)	0 - 35 °C
-----------------------------	-----------

Storage temperature (T-T)	-20 - 60 °C
---------------------------	-------------

Operating relative humidity (H-H)	
-----------------------------------	--

10 - 80%

Storage relative humidity (H-H)	
---------------------------------	--

5 - 90%

Weight & dimensions

Width	205 mm
Depth	90 mm
Height	29 mm
Weight	585 g

Packaging data

Quantity per pack	1 pc(s)
Package width	300 mm
Package depth	290 mm
Package height	62 mm

Carbon footprint

Total carbon footprint (kg of CO2e)
35.74

Carbon emissions, manufacturing (kg of CO2e)
25.6

Carbon emissions, logistics (kg of CO2e)
6.61

Carbon emissions, energy usage (kg of CO2e)
5.95

Carbon emissions, end-of-life (kg of CO2e)
-2.42

PAIA version PAIA/GaBi not used

Logistics data

Harmonized System (HS) code 84733020

Manufacturer documents

- Dell Dock WD19 Quick Start Guide (other digital assets)
- Dell Docking Station WD19 User Guide (other digital assets)
- Dell Docking Station WD19 Administrator's Guide (other digital assets)
- Statement of Volatility -WD19 (other digital assets)
- EUROPEAN UNION - Declaration of Conformity (other digital assets)
- User manual (manual pdf)
- Product Brochure (leaflet)

Source and support

Product data supplied by Icecat and formatted by OrbitBay. Specifications can change by exact manufacturer part number or regional configuration. Check the MPN and EAN shown above before ordering. For help, contact hello@orbitbay.co.uk.