

Dell P Series 27 USB-C Hub Monitor - P2723DE

Experience pure productivity on a 27-inch QHD monitor featuring extensive connectivity and Comfort. View Plus

Product identity

Brand	Dell
Model	P2723DE
MPN / part number	DELL-P2723DE
EAN / GTIN	5397184656792
Category	Computer Monitors

Highlights

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS.
- 5ms, 16:9, 350cd/m², 1000:1.
- USB, HDMI, DisplayPort.
- A QHD hub monitor optimised for productivity: QHD Screen: Optimised to deliver high performance details and clarity. Extensive connectivity: Easily connect to your devices with Display. Port (in), Display. Port (out), USB-C, RJ45, HDMI, 4x Super. Speed USB....
- Comfortable and efficient productivity: Designed with wellness in mind: Comfort. View Plus—an always-on, built-in low blue light screen—reduces potentially harmful blue light emissions without compromising colour. Colour consistency comes standard: See....
- Turn your workspace into an organised productivity hub: Extensive connectivity: Easily connect to your devices with Display. Port (in), Display. Port (out), USB-C, HDMI, 4x Super. Speed USB 5Gbps and more. Clutter-free setup: Your monitor serves as your own....

Key specifications

Screen size	68.6 cm (27")
Resolution	2560 x 1440 pixels
Panel	IPS
Refresh rate	60 Hz
Response time	5 ms
Connections	1 · 2

Product overview

Experience pure productivity on a 27-inch QHD monitor featuring extensive connectivity and Comfort. View Plus.

Compatibility and physical details

Colour	Black
--------	-------

Full technical specification

Display

Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
HD type	Quad HD

Native aspect ratio	16:9
Display technology	LCD
Panel type	IPS
Backlight type	LED
Touchscreen	No
Display brightness (typical)	350 cd/m ²
Response time	5 ms
Anti-glare screen	Yes
Screen shape	Flat
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.7 million colours
Response time (fast)	8 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	109 ppi
Horizontal scan range	29 - 113 kHz
Vertical scan range	49 - 75 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Viewable size diagonal	68.5 cm
Display diagonal (metric)	68.47 cm
High Dynamic Range (HDR) supported	No
Colour gamut standard	sRGB
Colour gamut	99%

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	No
Built-in camera	No

Design

Market positioning	Business
Product colour	Black
Front bezel colour	Black

Detachable stand	Yes
Feet colour	Silver

Ports & interfaces

Built-in USB hub	Yes
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	5
USB Power Delivery up to	90 W
HDMI	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone out	No
Charging port type	USB Type-C

Network

Wi-Fi	No
-------	----

Ergonomics

VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot	Yes
Height adjustment	Yes
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes

Power

Energy efficiency class (SDR)	F
Energy consumption (SDR) per 1000 hours	26 kWh
Power consumption (typical)	26 W
Power consumption (standby)	1.3 W

Power consumption (max)	175 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	2 A
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	611.6 mm
Depth (with stand)	190.1 mm
Height (with stand)	535.2 mm
Weight (with stand)	6.55 kg
Width (without stand)	611.6 mm
Depth (without stand)	52.2 mm
Height (without stand)	360.8 mm
Weight (without stand)	5.07 kg
Bezel width (side)	7.43 mm
Bezel width (top)	7.37 mm
Bezel width (bottom)	1.78 cm

Packaging content

Stand included	Yes
Cables included	AC, DisplayPort, USB Type-C to USB Type-A
Quick start guide	Yes

Other features

Heavy metals free	Hg (mercury)
Ethernet LAN (RJ-45) ports	1

Manufacturer documents

- [EU Product Fiche \(EU Product Fiche\)](#)
- [User manual \(manual pdf\)](#)
- [Carbon Footprint \(other digital assets\)](#)
- [Dell USB-C Monitor P2723DE Teardown Instructions \(other digital assets\)](#)
- [Dell USB-C Monitor P2723DE User's Guide \(other digital assets\)](#)
- [Dell USB-C Monitor P2723DE Outline Dimensions \(other digital assets\)](#)
- [Dell USB-C Monitor P2723DE Statement of Volatility \(other digital assets\)](#)
- [Dell USB-C Monitor P2723DE Quick Start Guide \(other digital assets\)](#)
- [Carbon Footprint \(other digital assets\)](#)
- [EU Declaration of Conformity \(other digital assets\)](#)
- [EU Energy Label \(EU Energy Label\)](#)
- [Brochure DELL DELL-P2723DE \(leaflet\)](#)

Source and support

Product data supplied by Icecat and formatted by OrbitBay. Specifications can change by exact manufacturer part number or regional configuration. Check the MPN and EAN shown above before ordering. For help, contact hello@orbitbay.co.uk.