

i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station G

i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station Gen2 + Power Delivery 100W is a laptop docks & port replicator featuring display 60 Hz, colour Black, weight 330 g, supported systems Yes.

Product identity

Brand	i-tec
Model	CADUA4KDOCKPDL2UK
MPN / part number	CADUA4KDOCKPDL2UK
EAN / GTIN	8595611705878
Category	Laptop Docks & Port Replicators

Highlights

- Universal docking station, compatible with USB-C, USB-A and Thunderbolt laptops & tablets.
- 2x DisplayPort and 2x HDMI supporting up to dual 4K/60Hz displays (also applies to Apple M1/M2 platform) or single 5K/60Hz display.
- 6x USB ports including 4x USB-A 3.0 (1x BC 1.2 fast charge) and 2x USB-C Gen2 (10 Gbps), making it easy to connect multiple USB devices and peripherals for super-fast data transfer.
- Provides up to 100W Power Delivery for compatible USB-C and Thunderbolt laptops & tablets. The host device must support USB-C Power Delivery.
- GLAN Ethernet supports network speeds of 10/100/1000 Mbps speeds, providing a robust and high-speed internet connection.
- Separate 3.5 mm audio input and output jacks for easy connection to headset or speakers.

Key specifications

Display	60 Hz
Colour	Black
Weight	330 g
Supported systems	Yes

Product overview

A powerful office docking station supporting super-fast USB Gen 2 ports. Dock supports output to up to two external monitors in up to 4K high resolution. The dock can be used with virtually all notebooks as it supports connection to all common ports: USB 3.0, USB-C and Thunderbolt™ 3/4, while supporting all common current operating systems. Plenty of USB ports (two USB-C support Gen 2 speeds of up to 10 Gbps), reliable and fast connection to the corporate network thanks to the integrated LAN port and support for installation behind the monitor all make this docking station the ideal companion for true professionals. Of course, it supports charging of your laptop or tablet, up to 100 W. Connect to 2 external monitors in resolutions up to 4K. Power delivery: up to 100 W. 2 Display. Port and 2 HDMI ports available. 4x USB 3.0 Gen 1 (5 Gbps) and 2x USB-C Gen 2 (10 Gbps) allow you to easily connect your USB devices and peripherals. Gigabit Ethernet RJ-45 provides reliable, robust and high-speed internet connectivity with support for 10/100/1000 Mbps speeds. Combo jack for audio and microphone. Kensington lock provides anti-theft protection, especially in shared office environments or public areas. Docking station power switch allows for maximum power savings. Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor.

Compatibility and physical details

Interface / connection	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
------------------------	----------------------------------

Supported systems	Windows supported · macOS supported · Linux supported
Colour	Black
Dimensions	224 mm × 88 mm × 27 mm
Weight	0.33 kg

Full technical specification

Ports & interfaces

Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI ports quantity	2
DisplayPorts quantity	2
Combo headphone/mic port	Yes
DC-in jack	Yes

Network

Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Card reader integrated	No
Data transfer rate	10 Gbit/s
Maximum digital resolution	5120 x 2880 pixels
Number of displays supported	2
Maximum refresh rate	60 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
Product colour	Black
LED indicators	Yes

Power

Output voltage	20 V
Output current	6.5 A
Compatible power plug types	JK
Power cable length	1.5 m

USB cable length	1 m
------------------	-----

Software

Windows operating systems supported

Yes

Mac operating systems supported

Yes

Linux operating systems supported

Yes

Other operating systems supported

Android, ChromeOS

Weight & dimensions

Width	224 mm
-------	--------

Depth	88 mm
-------	-------

Height	27 mm
--------	-------

Weight	330 g
--------	-------

Packaging content

Cables included	AC, USB Type-C to USB Type-A
-----------------	------------------------------

AC adapter included	Yes
---------------------	-----

User guide	Yes
------------	-----

Manufacturer documents

- Product Brochure (leaflet)

Source and support

Product data supplied by Icecat and formatted by OrbitBay. Specifications can change by exact manufacturer part number or regional configuration. Check the MPN and EAN shown above before ordering. For help, contact hello@orbitbay.co.uk.